



ANTIVIBRATION DAMPERS - SR CYLINDRICAL





> SCAN QR CODE FOR MAINTENANCE & INSTALLATION DOCUMENTS

- Anti-vibration mounts used in shear, compression or by combining the two (never in traction) for the protection of more severe vibration, shock and noise.
- Male studs made up of two parallel reinforcements adhered to the diabolo-shaped rubber.
- Silent Blocks based on premium natural rubber.
- Avoid any oil spillage.



We reserve the right to change specifications and dimensions without notice.

REF	Sh	DIMENSIONS				COMPRESSION		SHEAR	
		ØA	B	D	C	LOAD	DEFLECTION	LOAD	DEFLECTION
-		mm				KG	mm	KG	mm
SR1215	60	12	15	M-05	10	15	3,0±0,5	1,5	2,0±0,5
SR1610	60	16	10	M-05	12	20	1,5±0,5	2	2,0±0,5
SR1615	60	16	15	M-05	12	15	2,5±0,5	2	3,0±0,5
SR1620	60	16	20	M-05	12	15	3,5±0,5	2	4,0±0,5
SR1625	60	16	25	M-05	12	15	4,5±1,0	2	5,0±1,0
SR2008	60	20	8	M-06	15	45	1,0±0,3	4,5	1,5±0,3
SR2015	60	20	15	M-06	15	35	3,0±0,5	3,5	3,0±0,5
SR2020	60	20	20	M-06	15	25	4,0±1,0	2,5	4,0±0,5
SR2025	60	20	25	M-06	15	25	5,0±1,0	2,5	5,0±1,0
SR2030	60	20	30	M-06	15	25	6,0±1,0	2,5	6,0±1,0
SR2510	50	25	10	M-08	20	80	2,0±0,5	8	2,0±0,5
SR2515	50	25	15	M-08	20	60	3,0±0,5	8	3,0±0,5
SR2520	50	25	20	M-08	20	45	4,0±0,5	8	4,0±0,5
SR2525	50	25	25	M-08	20	40	5,0±1,0	6	5,0±1,0
SR2530	50	25	30	M-08	20	40	6,0±1,0	5	6,0±1,0
SR2540	50	25	40	M-08	20	40	8,0±1,0	5	8,0±1,0
SR2822	50	28	22	M-08	20	60	5,0±1,0	11	5,0±1,0







ANTIVIBRATION DAMPERS - SR CYLINDRICAL



> SCAN QR CODE FOR MAINTENANCE & INSTALLATION DOCUMENTS

We reserve the right to change specifications and dimensions without notice.

REF		DIMENSIONS				COMPRESSION		SHEAR	
-	Sh	ØA	B	D	C	LOAD	DEFLECTION	LOAD	DEFLECTION
		mm				KG	mm	KG	mm
SR3010	50	30	10	M-08	20	80	2,0±0,5	11	2,0±0,5
SR3015	50	30	15	M-08	20	80	3,0±0,5	11	3,0±0,5
SR3020	50	30	20	M-08	20	80	4,0±0,5	11	4,0±0,5
SR3030	50	30	30	M-08	20	60	6,0±1,0	11	6,0±1,0
SR3040	50	30	40	M-08	20	60	8,0±1,0	11	8,0±1,0
SR4020M8X20	50	40	20	M-08	20	160	4,0±0,5	20	4,0±0,5
SR4020	50	40	20	M-10	25	160	4,0±0,5	20	4,0±0,5
SR4028M8X30	50	40	28	M-08	30	100	5,5±1,0	16	5,5±1,0
SR4028M8X20	50	40	28	M-08	20	100	5,5±1,0	16	5,5±1,0
SR4028	50	40	28	M-10	25	100	5,5±1,0	16	5,5±1,0
SR4035	50	40	35	M-10	25	100	7,0±1,0	16	7,0±1,0
SR4040M8X20	50	40	40	M-08	20	100	8,0±1,0	16	8,0±1,0
SR4040	50	40	40	M-10	25	100	8,0±1,0	16	8,0±1,0
SR4045	50	40	45	M-10	25	100	9,0±1,0	16	9,0±1,0
SR5020	50	50	20	M-10	25	300	4,0±0,5	25	4,0±0,5
SR5025	50	50	25	M-10	25	175	5,0±1,0	25	5,0±1,0
SR5030	50	50	30	M-10	25	160	6,0±1,0	25	6,0±1,0
SR5035	50	50	35	M-10	25	160	7,0±1,0	25	7,0±1,0
SR5040	50	50	40	M-10	25	155	8,0±1,0	25	8,0±1,0
SR5045	50	50	45	M-10	25	150	9,0±1,0	25	9,0±1,0
SR5060	50	50	60	M-10	25	130	12,0±1,5	25	12,0±1,5
SR6025	50	60	25	M-10	25	400	5,0±1,0	35	5,0±1,0
SR6035	50	60	35	M-10	25	300	7,0±1,0	35	7,0±1,0
SR6045	50	60	45	M-10	25	250	9,0±1,0	35	9,0±1,0





ANTIVIBRATION DAMPERS - SR CYLINDRICAL



> SCAN QR CODE FOR MAINTENANCE & INSTALLATION DOCUMENTS

We reserve the right to change specifications and dimensions without notice.

REF		DIMENSIONS				COMPRESSION		SHEAR	
-	Sh	ØA	B	D	C	LOAD	DEFLECTION	LOAD	DEFLECTION
		mm				KG	mm	KG	mm
SR6060	50	60	60	M-10	25	225	12,0±1,5	35	12,0±1,5
SR7035M10X25	50	70	35	M-10	25	450	7,0±1,0	55	7,0±1,0
SR7040M10X25	50	70	40	M-10	25	400	8,0±1,0	70	8,0±1,0
SR7050M10X25	50	70	50	M-10	25	300	10,0±1,0	35	10,0±1,0
SR7070M10X25	50	70	70	M-10	25	300	14,0±1,5	35	14,0±1,5
SR7035	50	70	35	M-12	33	450	7,0±1,0	55	7,0±1,0
SR7040	50	70	40	M-12	33	400	8,0±1,0	70	8,0±1,0
SR7050	50	70	50	M-12	33	300	10,0±1,0	35	10,0±1,0
SR7070	50	70	70	M-12	33	300	14,0±1,5	35	14,0±1,5
SR8030	50	80	30	M-14	35	950	6,0±1,0	100	6,0±1,0
SR8040	50	80	40	M-14	35	600	8,0±1,0	80	8,0±1,0
SR8055	50	80	55	M-14	35	500	11,0±1,5	70	11,0±1,5
SR9525	60	95	25	M-16	42	1800	5,0±1,0	80	5,0±1,0
SR9540	50	95	40	M-16	42	1000	8,0±1,0	140	8,0±1,0
SR15075	50	150	75	M-20	50	1800	15,0±2,0	275	15,0±2,0

